

# PRESS RELEASE

-----  
**PRESS RELEASE**August 7, 2018 || Page 1 | 3  
-----

## Surface Finishing at High Speed

**High precision and high quality, but too slow – this is how most laser processes for surface finishing can be described. In the EU research project ultraSURFACE, the Fraunhofer Institute for Laser Technology ILT in Aachen, together with nine international partners, is developing two new optics by the end of 2018. With them, the laser beam shape can be specifically and quickly adapted to constantly changing processing situations. In the near future, lasers will be able to polish, coat or structure surfaces up to ten times faster than before thanks to this tuning.**

Even the name promises speed: Since 2016, an international team with companies and institutes from Germany, Belgium, the Netherlands, Israel and Switzerland has been researching and developing “Ultra Dynamic Optical Systems for High-Throughput Laser Surface Processing”. Two new laser optics for the near infrared range will reduce the processing time of surfaces ideally to one-tenth and cut costs by half.

### Active beam shaping in milliseconds

One of the optics is specifically designed for the polishing and processing of thin layers with lasers. To accomplish this, the research team relies on a continuously adjustable piezoelectric deformable mirror (PDM). This ensures that the laser beam adapts to the processing situation with switching intervals of less than five milliseconds, thus very quickly. “The laser beam is reshaped depending on the angle of incidence so that its projection on the work piece surface always has the same shape and the intensity remains constant,” explains the graduate physicist Judith Kumstel, expert in laser polishing at Fraunhofer ILT. This manipulation is important because only if the three-dimensional beam is continuously adapted at high processing speeds and hits the surface with constant intensity will the result of the laser processing always be the same – even with complex shaped components and constantly changing angles of incidence. On the other hand, if the laser beam projection deforms on slanted surfaces, the quality of the processed 3D surface also deteriorates.

A different approach was developed for laser structuring. The second new optics allows four beams to be used in parallel, instead of the usual single beam, to increase processing speed and productivity. With a diffractive optical element (DOE), the laser beam is split into a square beam of four partial beams. In conventional multi-beam concepts of this kind, the focusing optics, as well as the shape of the component lead to a distortion of the projected beam. In the ultraSURFACE project, a special system has

---

#### Editorial Notes

**Petra Nolis M.A.** | Group Manager Communications | Telephone +49 241 8906-662 | [petra.nolis@ilt.fraunhofer.de](mailto:petra.nolis@ilt.fraunhofer.de)  
Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany | [www.ilt.fraunhofer.de](http://www.ilt.fraunhofer.de)

**FRAUNHOFER INSTITUTE FOR LASER TECHNOLOGY ILT**

been developed with which each individual partial beam can be adjusted in its position within milliseconds so that there is always a square beam for processing.


-----  
**PRESS RELEASE**

August 7, 2018 || Page 2 | 3  
-----

**Laser finishing becomes affordable**


Two compact optical modules are currently being developed. The ultraSURFACE team will test their potential in a new laser system in various applications until the end of 2018. A Swiss company is building an industrial-grade machine that can be used to polish, structure and coat flexibly, cost-effectively and with unrivaled speed thanks to the quickly interchangeable optical modules. Kumstel explains, "With the concepts developed in this project, surfaces will soon be processed just as well as with conventional systems. Thanks to the new optics and the new machine, processing will be ten times faster than before, so that laser-based surface finishing will offer a cost-effective alternative to conventional surface finishing for many companies from various industries – even for small job shops".

Further information about the ultraSURFACE project: [www.ultrasurface.eu](http://www.ultrasurface.eu)



**Image 1:**  
**Piezoelectric deformable mirror (PDM) developed in the EU project ultraSURFACE.**  
© Fraunhofer ILT, Aachen, Germany.

**FRAUNHOFER INSTITUTE FOR LASER TECHNOLOGY ILT**



**Image 2:**  
With the integrated mirror, the laser beam is adapted to the processing situation with switching intervals of less than five milliseconds.  
© Fraunhofer ILT, Aachen, Germany.

-----  
**PRESS RELEASE**

August 7, 2018 || Page 3 | 3  
-----



**Image 3:**  
Set-up for laser-based surface processing with the technologies developed in ultraSURFACE.  
© Fraunhofer ILT, Aachen, Germany.

---

The **Fraunhofer-Gesellschaft** is the leading organization for applied research in Europe. Its research activities are conducted by 72 institutes and research units at locations throughout Germany. The Fraunhofer-Gesellschaft employs a staff of more than 25,000, who work with an annual research budget totaling 2.3 billion euros. Of this sum, almost 2 billion euros is generated through contract research. Around 70 percent of the Fraunhofer-Gesellschaft's contract research revenue is derived from contracts with industry and from publicly financed research projects. International collaborations with excellent research partners and innovative companies around the world ensure direct access to regions of the greatest importance to present and future scientific progress and economic development.

**Contact**

**Dipl.-Phys. Judith Kumstel** | Group Polishing | Telephone +49 241 8906-8026 | [judith.kumstel@ilt.fraunhofer.de](mailto:judith.kumstel@ilt.fraunhofer.de)  
**Dr. Edgar Willenborg** | Group Manager Polishing | Telephone +49 241 8906-213 | [edgar.willenborg@ilt.fraunhofer.de](mailto:edgar.willenborg@ilt.fraunhofer.de)  
Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany | [www.ilt.fraunhofer.de](http://www.ilt.fraunhofer.de)